




GVM

GVM CCB-XLR5

CONTENTS

Precautions	Page 1
Warnings	Page 1
Product Introduction	Page 2
Disclaimer	Page 2
Product Parameters	Page 3
Product Structure Diagram	Page 4
Instructions For Use	Page 5~6
Packing List	Page 6
Product Warranty	Page 7~9

PRECAUTIONS

1. The product is not waterproof, please use it in a rain-protected environment.
2. The product is not corrosion-resistant; do not allow it to come into contact with any corrosive liquids.
3. When in use, ensure the product is placed securely to prevent it from falling and being damaged.
4. If the product will not be used for a long period, please turn off the power to save energy consumption.



WARNINGS:

-  This product is not waterproof, please keep it dry.
-  Do not use or store in environments with temperatures above 45°C.
-  Do not attempt to disassemble the product yourself. If the product malfunctions, it must be inspected and repaired by our company or authorized service personnel.

PRODUCT INTRODUCTION

Thank you for purchasing the "GVM CCB-XLR5", this product is designed for experienced photography enthusiasts.

Main features:

1. A plug-and-play 5-pin DMX+LumenRadio CRMX data box. After connecting the data box to the fixture, the light can be controlled through a wired DMX console or be controlled wireless using CRMX.
2. Compatible with our GVM fixtures that feature a 5-pin mini XLR data port.
3. Equipped with two screw holes, allowing the data box to be secured to the light body with two screws.

We firmly believe that the correct use of this product will certainly be of great help to your production workflow. We strongly recommend you to read the following user guide carefully before using the product.


DISCLAIMERS

1. Before using this product, please read this manual carefully to ensure the correct use of the product. Failure to follow the instructions and warnings herein may cause injury to you and others, and may cause damage to the product or other surrounding property.
2. By using this product, you are deemed to have carefully read the disclaimer and warnings, to understand and accept all the terms and contents of this statement, and to assume full responsibility for your use of this product and any resulting consequences.
3. Design and specifications are subject to change without notice.

PRODUCT PARAMETERS


- ◆ Brand: GVM
- ◆ Model: GVM CCB-XLR5
- ◆ Product Name: DMX+CRMX data box
- ◆ Compatible Models: GVM lamps with a 5-core MINI XLR head data interface
- ◆ Operating temperature: -20~45°C
- ◆ Net Weight: 138g
- ◆ Product Size(mm): 77×71.5×43.1
- ◆ Product Origin: Huizhou, China

PRODUCT STRUCTURE DIAGRAM




INSTRUCTIONS FOR USE

- 1 Attach the data box to the light head with the included two screws.



- 2 Connect the connection cable to the corresponding data port on the back of the light




3 Indicator light

Red light: Connection failed.

Green light: Communication to the light is secured.

Orange light: Received Art-Net signal.



PACKING LIST

Name	Quantity	Notes
DMX+CRMX Data Box	1	

PRODUCT WARRANTY

Dear Customer, this warranty card serves as essential proof for warranty service. Please complete it with the assistance of the salesperson and keep it in a safe place. Thank you!

Product Information	Model Number	Product Barcode
User Information	Name	Contact Number
	Mailing Address	
Seller Information	Name	
	Contact Number	
	Mailing Address	
	Sales Date	
Remarks		

Note: this form should be confirmed by the salesperson's stamp.

Applicable Products

This document applies to the products listed in the relevant "Product Warranty Information" (see instructions below). Other products or components that do not fall within this scope (such as promotional products, gift items, and other components added after the factory) are not covered by this warranty.

Warranty Period

The warranty period applicable to products and components shall be governed by the provisions set forth in the relevant "Product Warranty Information." Such period shall commence on the date of the initial purchase, with the registration date indicated on the warranty card at the time of purchase deemed conclusive.

How to Obtain Warranty Service

You may contact the product salesperson, an authorized service agency, or GVM's after-sales service hotline to arrange warranty support. A valid warranty card must be presented as proof of eligibility. If a warranty card cannot be provided, GVM may, at its discretion, honor the warranty provided the product or component is verified to be within the warranty scope; however, this shall not constitute an obligation.

Cases where warranty does not apply:

The warranty and services outlined in this document shall not apply under the following conditions:

1. The product or its components have exceeded the applicable warranty period.
2. Malfunctions or damages caused by incorrect or improper use, maintenance, or storage, such as improper handling, use for purposes other than the reasonable expectations of the product, incorrect insertion or removal of external devices, dropping or crushing due to external force, or exposure to extreme temperature, solvents, acids, alkali, water immersion, or damp environments.
3. Malfunctions or damage resulting from installation, repair, modification, addition, or disassembly performed by individuals or organizations not authorized by GVM.

- 4. Modifications, changes, or removals of the original identification information of the product or its components.
- 5. Lack of valid warranty card.
- 6. Malfunctions or damages caused by the use of unauthorized, non-standard or non-publicly released software.
- 7. Malfunctions or damages resulting from force majeure or accidental events.
- 8. Other malfunctions or damages not attributable to the product's own quality are excluded from warranty coverage. In such cases, you should seek remedies from the responsible parties, and GVM shall bear no liability. Malfunctions or damages arising from components, accessories, or software not covered by or beyond the warranty scope, which impair the product's functionality, are likewise excluded. Normal fading, wear, and consumption occurring during regular use are also not covered under this warranty.

Product Warranty and Service Support Information

The product warranty period and service types are implemented according to the following "Product Warranty Information" for each product category, component, and optional equipment:

Product Category	Optional	Maintenance Period(Month)	Warranty Service Type
Component	Circuit Board	12	Customer service repair



GVM Official Website



Facebook

Huizhou Latu Film Equipment Co., Ltd.

Web: www.gvmled.com

B&H Email: bh@gvmled.com

GVM Email: support@gvmled.com

Amazon Email: amazonsupport@gvmled.com

Warehouse Address: 12285 MCNULTY RD, STE 105 PHILADELPHIA, Pennsylvania 19154, USA