


GVM

GVM-IL-G29

V0

CONTENTS

Product Introduction ---------- Page 1

Warning ---------- Page 2

High Temperature Warning ---------- Page 2

Disclaimers ---------- Page 2

Product Parameter ---------- Page 3

Precautions ---------- Page 3

Product Structure Diagram ---------- Page 4

Installation And Usage ---------- Page 5~6

Packing List ---------- Page 7

Product Warranty ---------- Page 8~9

PRODUCT INTRODUCTION

Thank you for purchasing the "GVM-IL-G29". This product is an optical accessory composed of a high-quality optical system. It has been developed through rigorous optical calculations and experiments. This product is suitable for use in live streaming, outdoor, studio, and YouTube productions and YouTube productions.

It need to use with COB light, It can project many kinds of different patterns light spot, and can be matched with the color filters, so that the light spot color is more diverse, to meet more occasionsusing. It can instantly transform into a follow spot or a projection light-Specially designed for experienced lighting technician and on set use.

We firmly believe that proper use of this product will greatly assist your production work. Before using the product, we strongly recommend that you carefully read the following user guide.

* Please read this manual before use and keep it for future reference

WARNING:

- Before use, Ensure the light is firmly locked into the projection attachment mount to prevent it from detaching.
- This product is a precision optical system. Do not disassemble it yourself. In case of service personnel. malfunction, it must be inspected and repaired by our company or authorized
- Do not look directly at the light outlet to avoid potential eye injury from strong light.
- The housing may become very hot during operation. Do not touch it to avoid burns. Wait until the unit has fully cooled before handling or reusing.
- This product is not corrosion-resistant. Do not expose it to corrosive liquids.
- Before storage, allow the unit to cool completely and place it properly in its designated carrying case.

HIGH TEMPERATURE WARNING

The surface temperature may exceed 70°C. Do not touch with bare hands!

DISCLAIMERS

1. Before using this product, please read the text carefully to ensure that the correct operation of the product has been carried out. Failure to follow and not following the instructions and warnings in this document may cause harm to you and others around you, or even damage the product or other surrounding items.
2. By using this product, you are deemed to have carefully read the disclaimer and warning, understand and acknowledge all the terms and contents of this statement, and promise to take full responsibility for the use of this product and the possible consequences.
3. Design and specifications are subject to change without notice.


PRODUCT PARAMETER


- Brand: GVM
- Product Model: GVM-IL-G29
- Product Name: Projection attachment
- Product Type: Light shaping accessory
- Features: When paired with GVM LED light fixtures, this product enables users to achieve light focusing, follow spot effects, beam shaping and cutting, optical zoom control, and light pattern projection.
- Compatible models: Bowen S mount light fixtures
- Projection head: 3.0/5.0 projection magnification lens
- Focus angle: 35°
- Product weight: 1.3KG
- Product dimensions (mm) : 270×100×100
- Product material: Aluminum alloy
- Product origin: China. Huizhou

PRECAUTIONS


1. This product contains glass elements. Please handle it with care during use to avoid damage.
2. The edges of the shutter blades are sharp. Take caution during operation to avoid cuts.
3. During prolonged use, the lens, shutter blades, gobo holder, and adjustable iris may become hot. Please be careful to avoid burns.

PRODUCT STRUCTURE DIAGRAM





4 filters



Kins of GOBOs

INSTALLATION AND USAGE




ADJUSTABLE RING

Rotate the adjusting ring to adjust the deficiency and reality of light and shadow.



CUT LIGHT FUNCTION

Create creative light and shadow shapes by adjusting the cutting film.



MODELING PIECE

Various models can be replaced at will.



BAORONG INTERFACE

10CM interface general installation.

1. Filter frame:

to fix the color filters, and connect the Projector head.

2. Color filter:

Come with 4pcs color filters,for different colors light spot.

3. Projector heard:

Rotating it to adjust the sharpness of light spot, at different distance. (Optional 3.0/5.0 two projection multiples of the lens)

4. GOBO holder:

Fix the GOBO into it, (can put two different GOBO into it one time), You can switch them left and right,Just press it in the direction of the arrow shown.

5. Projector lens:

When it works, it perhaps 70℃ high temp. Do not touch the surface, to avoid scald.

6. Bowens mount:

You can choose big/small size Bowens mount.

7. Fasten screw:

Loosen it, rotating the projector head,then the light spot rotated in different angles.

PACKING LIST

Name	Quantity	Notes
Projection Attachment	1	
Color filter frame	1	
Color filter	4	
GOBO Pattern	25	

PRODUCT WARRANTY

Dear user, this warranty card is important proof for applying for warranty service. Please cooperate with the salesperson to fill it out and keep it properly. Thank you!

Product Information	Model Number	Product Barcode
User Information	Name	Contact Number
	Mailing Address	
Seller Information	Name	
	Contact Number	
	Mailing Address	
	Sales Date	
Remarks		

Note: this form should be confirmed by the salesperson's stamp.

Applicable Products

This document applies to the products listed in the relevant "Product Warranty Information" (see instructions below). Other products or components that do not fall within this scope (such as promotional products, gift items, and other components added after the factory) are not covered by this warranty promise.

Warranty Period

The corresponding warranty period for products and components shall be executed according to the relevant "Product Warranty Information". The warranty period starts from the first day of purchase of the product, and the date of registration on the warranty card at the time of purchase shall prevail.

How to Obtain Warranty Service

You can directly contact the product salesperson or authorized service agency, or call GVM's after-sales service hotline to contact us and have our service personnel arrange service for you. When applying for warranty service, you should provide a valid warranty card as a warranty certificate to be eligible for warranty service. If you cannot provide a valid warranty card, we may also provide you with warranty service under the circumstance that our products or components are confirmed to be within the warranty scope, but this is not our obligation.

Cases where warranty does not apply:

If the product meets the following conditions, the warranty and service under this document will not apply:

1. The product or parts have exceeded the corresponding warranty period.
2. Malfunctions or damages caused by incorrect or improper use, maintenance, or storage, such as improper handling, use for purposes other than the reasonable expectations of the product, incorrect insertion or removal of external devices, falling or crushing due to external force, or exposure to inappropriate temperature, solvents, acids, alkalis, water immersion, or damp environments.
3. Malfunctions or damages caused by unauthorized installation, repair, modification, addition, or disassembly by institutions or personnel not authorized by GVM.
4. Modifications, changes, or removals of the original identification information of the product or its parts.
5. Lack of valid warranty card.
6. Malfunctions or damages caused by the use of unauthorized, non-standard or non-publicly released software.
7. Malfunctions or damages caused by force majeure or accidents.
8. Other malfunctions or damages not caused by quality issues of the product itself. In such cases, you should seek solutions from the relevant responsible parties, and GVM will not be held liable. Malfunctions or damages caused by components, accessories, or software not covered by the warranty or beyond the warranty scope that renders the product unable to function properly are not covered by the warranty. Fading, wear, and consumption that is normal during the product usage process are not covered by the warranty.

QC
PASS

GVM Official Website

Facebook

Huizhou Latu Film Equipment Co., Ltd.
Web: www.gvmled.com
B&H Email: bh@gvmled.com
GVM Email: support@gvmled.com
Amazon Email: amazonsupport@gvmled.com
Warehouse Address: 12285 MCNULTY RD, STE 105 PHILADELPHIA, Pennsylvania 19154, USA